The EMPIRE JOURNAL of EXPERIMENTAL AGRICULTURE

VOLUME XXIX

OXFORD
AT THE CLARENDON PRESS
1961

EDITORIAL BOARD

SIR E. J. RUSSELL, Campsfield Wood, Woodstock, Oxfordshire (*Chairman*).

DR. E. E. CHEESMAN, Agricultural Research Council, 15 Regent Street, London, S.W. 1.

SIR J. B. HUTCHINSON, School of Agriculture, Cambridge.

SIR G. W. NYE, Colonial Office, Sanctuary Buildings, Great Smith Street, London, S.W. 1.

DR. G. WATTS PADWICK, Plant Protection Ltd., Fernhurst, near Haslemere, Surrey.

D. RHIND, Colonial Office, Sanctuary Buildings, Great Smith Street, London, S.W. 1.

SIR J. A. SCOTT WATSON, 4 Sheldon Avenue, London, N. 6.

(*The above constitute the Executive Committee*)

M. A. A. ANSARI, Pakistan Central Cotton Committee, New Queens Road, Karachi, 1.

PROF. R. G. BASKETT, National Institute for Research in Dairying, Shinfield, nr. Reading.

PROF. G. E. BLACKMAN, Dept. of Agriculture, Oxford.

S. DE BLANK, Plantations Group, Unilever Ltd., London, E.C.4.

PROF. M. F. CHANDRARATNA, Faculty of Agriculture, University of Ceylon, Peradeniya.

SIR G. F. CLAY, Malayan Rubber Fund, P.O. Box 2073, Kuala Lumpur, Malaya.

DR. D. P. CUTHBERTSON, Rowett Research Institute, Aberdeen.

DR. WILLIAM DAVIES, Grassland Research Institute, Hurley, nr. Maidenhead, Berks.

DR. H. P. DONALD, Animal Breeding Research Organization, Edinburgh 9.

DR. W. L. FIELDING, Gwebi Agricultural College, Salisbury, Federation of Rhodesia and Nyasaland.

DR. C. H. GOULDEN, Central Experimental Farm, Ottawa, Canada.

DR. W. M. HAMILTON, Dept. Scientific and Industrial Research, Wellington, C. 1, New Zealand.

SIR J. HAMMOND, School of Agriculture, Cambridge.

DR. P. S. HUDSON, Commonwealth Bureau of Plant Breeding and Genetics, Cambridge.

G. V. JACKS, Commonwealth Bureau of Soils, Harpenden, Herts.

J. LAMB, West African Cocoa Research Institute, P.O. Box 8, Tafo, Ghana.

DR. A. H. LEWIS, Jealott's Hill Research Station, Bracknell, Berks.

DR. J. MELVILLE, Waite Agricultural Research Institute, Glen Osmond, S. Australia.

DR. B. P. PAL, Indian Agricultural Research Institute, New Delhi.

DR. S. J. DU PLESSIS, Department of Agricultural Technical Services Private Bag 116, Pretoria, Union of South Africa.

DR. E. W. RUSSELL, East African Agricultural and Forestry Research Organization, P.O. Box 21, Kikuyu, Kenya.

PROF. P. T. T. THOMAS, Welsh Plant Breeding Station, Aberystwyth.

DR. F. R. TUBBS, Horticultural Research Station, East Malling, Kent.

PROF. STEPHEN WATSON, Dept. of Agriculture, Edinburgh University.

DR. F. YATES, Rothamsted Experimental Station, Harpenden, Herts.

Secretary and General Editor

H. J. PAGE, Brackens, Church Lane, West Lavington, Midhurst, Sussex.

CONTENTS

Number 113

J. E. DALE and T. H. COAKER: Growth and Yield of Cotton Sprayed with D.D.T. in East and North Uganda . . 1

R. G. HEMINGWAY: The Mineral Composition of Farmyard Manure 14

P. E. NAYLOR: Farming Organization in Central Iraq . . 19

D. A. BOYD, B. M. CHURCH, and MARY G. HILLS: Fertilizer Practice in England and Wales, 1956–7. I 35

M. R. SHALASH, A. A. SALAMA, and M. EL GUINDI: Note on Artificial Induction of Lactation in Buffaloes . . . 45

H. NEUMARK and J. ASPRIDIS: Note on the Effect of Metabisulphite on the Sugar Content of Ensiled Orange Peel . 49

G. B. MASEFIELD: The Effect of Irrigation on Nodulation of some Leguminous Crops 51

F. T. LAST and M. A. NOUR: Cultivation of *Vicia faba* L. in Northern Sudan 60

A. WAHHAB and RIAZ AHMAD: Manuring of Cotton in West Pakistan. V 73

J. SMARTT: The Diseases of Groundnuts in Northern Rhodesia 79

D. L. BROWN: The Nguni Breed of Cattle. III. With Plate 1 88

Number 114

J. QUARTERMAN: The Digestibility of Crude Fibre in the Tropics 101

H. EPSTEIN: The Development and Body Composition of Docked and Undocked Fat-tailed Awasi Lambs. With Plate 2 110

J. E. PEAT and K. J. BROWN: A Record of Cotton Breeding for the Lake Province of Tanganyika: Seasons 1939–40 to 1957–8 119

E. BOSWINKLE: Residual Effects of Phosphorus Fertilizers in Kenya 136

D. N. BARUA: The Significance of Seed-size in Cultivated Tea (*Camellia sinensis* L.) 143

J. SMARTT: Groundnut Varieties of Northern Rhodesia and their Classification 153

E. CRESSWELL, A. H. KIRTON, and D. F. G. ORWIN: Note on the Daily Grazing Distances of Six Romney Ewes, Three of which were Treated with L-Thyroxine. With Plate 3 . 159

E. CRESSWELL: Note on the effect of Shearing, and of Drenching with Simulated Rain, on the Oxygen Consumption and Respiratory Pattern of Sheep. With Plates 4, 5, 6 . . 162

A. TROUGHTON: Studies on the Roots of Leys and the Organic Matter and Structure of the Soil 165

IRENA KRUPKO and R. L. DAVIDSON: An Experimental Study of *Stoebe vulgaris* in Relation to Grazing and Burning. With Plates 7, 8, 9 175

R. K. DJOKOTO and D. STEPHENS: Thirty Long-term Fertilizer Experiments under Continuous Cropping in Ghana. I . 181

Number 115

N. R. BROCKINGTON: The Growth, Yield, and Protein Content of Twelve Cultivated Grasses in Northern Rhodesia . 197

L. C. CHAPAS: Plot Size and Reduction of Variability in Oil-palm Experiments 212

B. VAN GRAAN, JNR., and D. M. JOUBERT: Duration of Pregnancy in Afrikaner Cattle 225

T. B. MILLER: Studies on the Nutrition of Zebu Cattle in Northern Nigeria. I 230

R. K. DJOKOTO and D. STEPHENS: Thirty Long-term Fertilizer Experiments Under Continuous Cropping in Ghana. II 245

J. H. LEIGH: The Effects of Planting Distance on Production in Lovegrass Pastures 259

J. H. LEIGH: Behaviour of Certain Varieties of Lovegrass when Grown as Spaced Plants and in Broadcast Stands . . 265

H. C. PEREIRA, P. H. HOSEGOOD, and D. B. THOMAS: The Productivity of Tropical Semi-arid Thorn-scrub Country under Intensive Management. With Plates 10, 11 . . 269

Number 116

D. N. BARUA and K. N. DUTTA: Root Growth of Cultivated Tea in the Presence of Shade Trees and Nitrogenous Manure 287

J. SMARTT: Factors Influencing the Selection and Performance of Groundnut Varieties in Northern Rhodesia . . . 299

D. A. LAWES: Rainfall Conservation and the Yield of Cotton in Northern Nigeria 307

W. H. FOSTER: Note on the Establishment of a Legume in Rangeland in Northern Nigeria. With Plate 12 . . 319

ALICE M. EVANS: The Yields of Eight Varieties of Sainfoin Cut at Different Growth Stages 323

E. B. DENNISON: The Value of Farmyard Manure in Maintaining Fertility in Northern Nigeria 330

P. R. HILL: A Simple System of Management for Soil and Water Conservation and Drainage in Mechanized Crop Production in the Tropics. With Plates 13–19 . . . 337

B. WALKER: An alternative to Flood Irrigation of Sugar Cane in British Guinea 350

AUTHOR INDEX

Ahmad, Riaz, *see* Wahhab, A.
Aspridis, J., *see* Neumark, H.

Barua, D. N., tea, cultivated, seed size, significance of, 143–52; tea, cultivated, root growth of, in presence of shade trees and nitrogen manure, 287–98.
Boswinkle, E., phosphorus fertilizers, residual effects, in Kenya, 136–42.
Boyd, D. A., fertilizer practice, in England and Wales, 1956–7. I, fertilizer consumption, general features, 35–44.
Brockington, N. R., grasses, cultivated, growth, yield, and protein content, in Northern Rhodesia, 197–211.
Brown, D. L., cattle, Nguni breed. III, yield and composition of milk; haemoglobin and phosphate blood levels; coat colour and skin characteristics, 88–99.
Brown, K. J., *see* Peat, J. E.

Chapas, L. C., oil palm, experiments, plot size and reduction of variability in, 212–24.
Church, B. M., *see* Boyd, D. A.
Coaker, T. H., *see* Dale, J. E.
Cresswell, E., Romney ewes, treated with L. thyroxin, daily grazing distances of, 159–61; sheep, oxygen consumption and respiratory pattern, effect of shearing and of drenching, 162–4.

Dale, J. E., cotton, growth and yield, sprayed with D.D.T., in east and north Uganda, 1–13.
Davidson, R. L., *see* Krupko, Irene.
Dennison, E. B., farmyard manure, value of, in maintaining fertility, in Northern Nigeria, 330–6.
Djokoto, R. K., fertilizer experiments, long-term, and continuous cropping, in Ghana. I, crop yields and responses, to fertilizers and manures, 181–95; II, soil studies, in relation to I, 245–58.
Dutta, K. N., *see* Barua, D. N.

Epstein, H., Awasi lambs, fat-tailed, docked and undocked, development and body composition of, 110–18.
Evans, Alice M., sainfoin varieties, yields of, cut at different stages of growth, 323–9.

Foster, W. H., legume, establishment of, in rangeland, in Northern Nigeria, 319–22.

van Graan, B., Jnr., cattle, Afrikaner, duration of pregnancy in, 225–9.
el Guindi, M., *see* Shalash, M. R.

Hemingway, R. G., farmyard manure, mineral composition of, 14–18.
Hill, P. R., soil and water, conservation and drainage of, simple system of management for, in mechanized crop production, in the tropics, 337–49.
Hills, Mary G., *see* Boyd, D. A.
Hosegood, P. H., *see* Pereira, H. C.

Joubert, D. M., *see* van Graan, B., Jnr.

Kirton, A. H., *see* Cresswell, E.
Krupko, Irene, *Stoebe vulgaris*, in relation to grazing and burning, 175–80.

Last, F. T., *Vicia faba* L., cultivation of, in northern Sudan, 60–72.
Lawes, D. A., cotton, yield, and rainfall conservation, in Northern Nigeria, 307–18.
Leigh, J. H., pastures, lovegrass, production in, effect of planting distance on, 259–64; lovegrass varieties, behaviour of, grown as spaced plants and in broadcast stands, 265–8.

Masefield, G. B., leguminous crops, nodulation of, effect of irrigation on, 51–59.
Miller, T. B., cattle, Zebu, nutrition of, in Northern Nigeria. I, energy intake and milk production, 230–44.

Naylor, P. E., farming organization, in central Iraq, 19–34.
Neumark, H., orange peel, ensiled, sugar-content of, effect of metabisulphite on, 49–50.
Nour, M. A., *see* Last, F. T.

Orwin, D. F. G., *see* Cresswell, E.

Peat, J. E., cotton breeding, for the Lake Province of Tanganyika, 1939–40 to 1957–8, 119–35.
Pereira, H. C., tropical semi-arid thorn-scrub country, productivity of, under intensive management, 269–86.

Quarterman, J., crude fibre, digestibility of, in the tropics, 101–9.

Salama, A. A., *see* Shalash, M. R.
Shalash, M. R., buffaloes, lactation in, artificial induction of, 45–48.
Smartt, J., groundnuts, diseases, in Northern Rhodesia, 79–87; groundnut varieties, and their classification, in Northern Rhodesia, 153–8; groundnut varieties, selection and performance of, factors affecting, in Northern Rhodesia, 299–306.
Stephens, D., *see* Djokoto, R. K.

Thomas, D. B., *see* Pereira, H. C.
Troughton, A., leys, roots of, and organic matter and structure of the soil, 165–74.

Wahhab, A., cotton, manuring of, in West Pakistan. V, nitrogen, phosphorus and potassium, alone and in combination, effect on yield of seed cotton, 73–78.
Walker, B., sugar cane, flood irrigation of, an alternative to, in British Guiana, 350–7.

SUBJECT INDEX

British Guiana, *see* sugar cane.
Broad beans: cultivation, in northern Sudan, 60–72; mildew, 62; fungicidal sprays, 67; fertilizers, 68.
Buffaloes, *see* cattle and buffaloes.

Cattle and buffaloes: Nguni breed of cattle, yield and composition of milk, haemoglobin and phosphate levels in blood, coat colour and skin characteristics, 88–99; Afrikaner cattle, duration of pregnancy, 225–9; Zebu cattle, nutrition, in Northern Nigeria, energy intake and milk production, 230–44; buffaloes, lactation, artificial induction of, 45–48; *see also* farm management.
Cotton: growth and yield, sprayed with D.D.T., in Uganda, 1–13; yield, and rainfall conservation, in Northern Nigeria, 307–18; ridging and cross-tying, 311; breeding, in Tanganyika, 1939–58, 119–35; introductions, 121; selection methods, 122; seed issues, 126; yield increases, 128; manuring, in West Pakistan, effect of N, P, and K on yield, 73–78.

Diseases and pests of plants, *see* broad beans; cotton; fodder crops.

Egypt, *see* cattle and buffaloes.

Farm management: farming organization in central Iraq, 19–34; village studies, 23; financial results, 33; tropical semi-arid thorn-scrub country, productivity under intensive management, 269–86; pasture improvement, 270; stock-carrying capacity, 273; hay yields, 277; live-weight gains, 280; yields of food crops, 281; soil structure changes, 283; *see also* fertilizers; pastures; soil and water conservation and drainage; sugar cane.
Farmyard manure: value in maintaining fertility, in Northern Nigeria, 330–6; yields of groundnuts, guinea corn, millet, 332; mineral composition, 14–18; *see also* fertilizers.
Fertilizers: phosphorus, residual effects, in Kenya, 136–42; practice, in England and Wales, consumption and general features, 35–44; long-term experiments and continuous cropping, in Ghana, 181–95 and 245–58; rotations, 181; fertilizer treatments, 183; responses, 184; soils, 246; effects on soils, 248; *see also* broad beans; cotton; farm management; grasses; groundnuts; tea.
Fodder crops and feeding stuffs: sainfoin varieties, yields, cut at different stages of growth, 323–9; legumes, establishment in range land, in Northern Nigeria, 319–22; leguminous crops, nodulation, effect of irrigation, 51–59; plant weights, 54; Sitona damage; N content of seed, 57; orange peel, ensiled, sugar content, effect of meta-bisulphite, 49–50; crude fibre, digestibility, in the tropics, 101–9; *see also* farm management.

Ghana, *see* fertilizers; soil and water conservation and drainage.
Grasses: growth, yield, protein content, in Northern Rhodesia, 197–211; grasses, 198; fertilizers, 199; lovegrass varieties, behaviour when grown as spaced plants and in broadcast stands, 265–8; leys, roots of, and soil organic matter and structure, 165–74; *see also* farm management; pastures.
Groundnuts: in Northern Nigeria; diseases, 79–87; rosette, 79; Cercospora leafspots, 82; varieties, classification, 153–8; varieties, selection and performance, factors affecting 299–306; fertilizers, 303; cultural factors, 303; plant population, 305; *see also* farmyard manure.
Guinea corn, *see* farmyard manure.

India, *see* tea.
Iraq, *see* farm management.
Israel, *see* fodder crops and feeding stuffs; sheep.

Kenya, *see* farm management; fertilizers; fodder crops and feeding stuffs.

Millet, *see* farmyard manure.

New Zealand, *see* sheep.
Nigeria, *see* cattle; cotton; farmyard manure; fodder crops; groundnuts; oil palm.
Northern Rhodesia, *see* grasses; groundnuts.

Oil palms: experiments, plot size and variability, 212–24.

Pakistan, *see* cotton.
Pastures: *Stoebe vulgaris*, in relation to grazing and burning, 175–80; lovegrass, production, effect of planting distance, 259–64; *see also* farm management; grasses.

Sheep: Romney ewes, treated with L. thyroxin, daily grazing distances, 159–61; oxygen consumption and respiratory pattern, effect of shearing and drenching, 162–4; Awasi fat-tailed lambs, docked and undocked, development and body composition, 110–18.
Soil and water, conservation and drainage: simple system of management, in mechanized crop production, in the tropics, 337–49; the broadland system, 338;

cropping on broadlands, 343; advantages of broadland system, 347.
South Africa, *see* cattle; grasses; pastures.
Sudan, *see* broad beans.
Sugar cane, flood irrigation, an alternative, in British Guiana, 350–7; mechanical cultivations, 351; water percolation, 353; modified system, 356.
Tanganyika, *see* cotton.
Tea: seed size, significance of, 143–52; variations in seed size, 145; seed size in relation to plant size, 148; root growth, in presence of shade trees and nitrogen manure, 287–98.
Uganda, *see* cotton.